AMENDMENTS TO THE CLAIMS

This listing of claims replaces, without prejudice, all prior versions and listings of claims in the application:

- 1-18. (Canceled)
- 19. (Original) A coating formulation, comprising:
 - (a) from about 25 to about 99 weight percent of a polymer containing emulsion;
 - (b) from about 0.1 to about 20 weight percent of an aqueous crosslinking agent;
 - (c) from about 0.001 to about 5 weight percent of a defoamer;
- (d) from about 1 to about 40 weight percent of a polyethylene wax emulsion or of a polypropylene wax emulsion; and
 - (e) from about 1 wppm to about 100,000 wppm of a hormone.
- (Original) The coating formulation of claim 19, further comprising: (f) from about 0.1 to about 50 weight percent deionized water.
- (Original) The coating formulation of claim 19, wherein the polymer containing emulsion comprises styrene acrylic polymers, ammonium hydroxide and polypropylene glycol.
- (Original) The coating formulation of claim 19, wherein the hormone is a juvenile hormone.
- (Original) The coating formulation of claim 22, wherein the juvenile hormone is selected from the group consisting of: Hydroprene, Methoprene, Dimilin and Fenoxycarb.

2

Customer No.: 27160

Amendment Under 37 C.F.R. §1.111 U.S. Patent Appl. S/N 10/658,789

 $24. \qquad \hbox{(Original) The coating formulation of claim 19, wherein the coating formulation further}$

comprises: (f) from about 0.01 weight percent to about 20 weight percent diatomaceous earth.

25. (Original) The coating formulation of claim 19, further comprising: (f) from about 0.1

weight percent to about 20 weight percent of a rheology additive.

26. (Original) The coating formulation of claim 25, wherein the rheology additive is selected

from the group consisting of: cellulose acetate butyrate and cellulose acetate proprionate.

27. (Original) The coating formulation of claim 19, further comprising: (f) from about 0.1

weight percent to about 15 weight percent of a UV protectant.

28. (Original) The coating formulation of claim 27, wherein the UV protectant is

3

benzophenone.

29-43. (Canceled)

Customer No.: 27160